

Cable & Accessories

HDMI Cable

» **USB Cable**

Adapter

Power Bank

Surge Protector

RCA Cable

Wall Charger

Car Charger

USB Cable

USB 2.0 Male A to Male B Cables



Transfer rate up to 480 Mbps
 Foil and braid shielded to reduce EMI/RFI interference
 Twisted pair construction helps reduce crosstalk
 28 AWG copper conductors
 Backwards compatible

USB 2.0 Male A to Female A Cables



Transfer rate up to 480 Mbps
 Foil and braid shielded to reduce EMI/RFI interference
 Twisted pair construction helps reduce crosstalk
 28 AWG copper conductors
 Backwards compatible

USB 3.0 Male A to Micro B Male Cables



Transfer rate up to 4.8 Gbps
 Foil and braid shielded to reduce EMI/RFI interference
 Twisted pair construction helps reduce crosstalk
 28 AWG copper conductors
 Backwards compatible

USB 3.0 Male A to Male A Cables



Transfer rate up to 4.8 Gbps
 Foil and braid shielded to reduce EMI/RFI interference
 Twisted pair construction helps reduce crosstalk
 28 AWG copper conductors
 Backwards compatible

USB 3.0 Male A to Male B Cables



Transfer rate up to 4.8 Gbps
 Foil and braid shielded to reduce EMI/RFI interference
 Twisted pair construction helps reduce crosstalk
 28 AWG copper conductors
 Backwards compatible

USB 3.0 Male A to Female A Cables



Transfer rate up to 4.8 Gbps
 Foil and braid shielded to reduce EMI/RFI interference
 Twisted pair construction helps reduce crosstalk
 28 AWG copper conductors
 Backwards compatible

Lightning Cable



Material	TPE
Cable type	Round
Working output	2.4A
Connector	Lightning
Moulding head	

USB A to Type C cable



Material	TPE
Cable type	Round
Working output	2A
Connector	Type C
Moulding head	

USB A to Micro B cable



Material	PVC
Cable type	Round
Working output	2A
Connector	Micro USB
Moulding head	

USB Cable

2 in 1 Smart Charging USB Cable



Material	Nylon fabric braided
Output	5.1V/2A
OD	3.6mm
Cable Length	1m

2 in 1 USB Charging Cable



Material	TPE
Output	5V/2.1A
Cable Length	1m

2 in 1 USB Charging Cable



Material	TPE
Output	5V/2.1A
Cable Length	1m

USB to Lightning Cable



Material	Nylon fabric braided
Output	5V/2.1A
OD	3.2mm
Cable Length	1m

USB to Lightning Cable



Material	Nylon + TPE + Zinc alloy
Output	5V/2A
Cable Length	1m

USB to Lightning Cable



Material	Zinc-Alloy connector + PVC
Output	5V/2A
Cable Length	1m

Type-C to USB Charging Cable




Material	Nylon + TPE + Zinc alloy
Output	5.1V/3A(max)
Cable Length	1m

Type-C to USB Charging Cable



Material	Nylon fabric braided
Output	5.1V/3A(max)
Cable Length	1m

USB to Micro Cable



Material	Zinc-Alloy connector + TPE
Cable	TC43*0.08/16*0.08
Output	5V/2A
Cable Length	25cm